


# Ubuntu Server Hardware Certification Policies (18.04 LTS)





# Contents

<b>Attention</b>	<b>6</b>
<b>Introduction</b>	<b>6</b>
Definitions	6
<b>Services Provided</b>	<b>8</b>
Certification Testing	8
In-House	8
On-Site	8
Remote	8
Certification Review	8
Certificate Issuance and Publication	9
Test Tool Development	9
Test Tool Maintenance and Bug Fixing	9
Website Maintenance and Bug Fixes	9
<b>Participation</b>	<b>9</b>
Communications	10
<b>General Policies</b>	<b>10</b>
Comprehensive Server Certification	10
Devices Specific Information	10
CPUs and RAM	10
HDD, SSD, NVMe, NVDIMM	11
RAID Controllers	11
HBA	11
CNA and Network Devices	11
Anything Else	11
Application of Test Results	12

Display of Status of Vendor Approved Options	12
OS Versions	12
Package Versions	12
Certification Lifetime	13
Models	13
Changes to the Test Suite	13
Suite Changes	13
Test Requirements Changes	14
Progression of New Tests	14
Changes to Certification Policies	15
Virtualization	15
Ubuntu as Host	15
Ubuntu as Guest	15
Virtual Machine Requirements	15
System on Chip Certification	16
Application	16
Requirements	16
Exceptions	16
Performance / Benchmark Testing	17
Third Party Testing	17
Public Web Site	17
Private Web Site	17
Documentation	18
<b>Certification Process</b>	<b>18</b>
Timeframe	18
Test Lab	19

Hardware	19
Firmware	20
System Identification	20
Installation	20
Custom Kernels and Drivers	21
Third Party / Proprietary Drivers	21
Storage Options	21
Storage Management Software	22
USB Testing	22
Network Testing	22
Bugs	22
Test Suite Bugs	23
Hardware Bugs	23
OS Bugs	23
Regression Bugs	23
Enablement Bugs	23
Submission of Results	24
Requesting Certificates	24
Private Certificates	24
Zero-Day Certification	24
Re-Testing	25
Regression Testing	25
Re-Certification	25
Physical Certificates	26
Sending Canonical Hardware	26

## Attention

As of 18.04 LTS the Ubuntu Server Certification programme has moved from the previous SKU / Config based methodology to a component coverage based methodology referred to as “Comprehensive Server Certification”.

Under this new way of doing Ubuntu Certification, our Partners will need to certify user orderable component options for each model of Server to be certified.

Please refer to the section Comprehensive Server Certification for more information.

## Introduction

This guide will provide a reference to the general policies of Ubuntu Server Hardware Certification and services provided by the Canonical Server Hardware Certification Team. This guide will be updated regularly as policies are updated, added or removed during the evolution of the Certification Programme. Audience This guide is intended to be read by anybody (internal or external to Canonical) involved in Ubuntu Server Certification efforts. It should be provided to anyone involved in this effort from engineering to management.

## Definitions

### Blocking Test

Tests or coverage areas that are required to be tested and required to pass for Certification.

### Certificate

An indicator that a system has been tested and is considered fully supported by Ubuntu Server.

### Certification

The process by which a system is tested and deemed “Ubuntu Server Certified.”

### Non-Blocking Test

Tests or areas that are tested but do not block Certification if they fail.

### IHV

Independent Hardware Vendor, or the entity that builds components and accessories meant to be used as part of a broader whole system (e.g. network or storage device manufacturers.)

**Make**

The OEM/ODM/IHV that makes the device or system (e.g. HP, Dell, Broadcom, Intel)

**Model**

The Model of the hardware being tested, the Family. For example, DL385. This is the superset of a “Model” that includes all the variants of that model.

**ODM**

Original Design Manufacturer, or the entity that designs and produces and retails the hardware.

**OEM**

Original Equipment Manufacturer, or the entity that designs and produces the hardware with the intention that the hardware will be re-branded and sold by a third party

**Partner**

The OEM, ODM, IHV or System Builder who has joined the Programme and is engaged in Certification efforts.

**Partner Engineer**

The Partner’s technical contact within Canonical. Formerly known as a TPM or Technical Partner Manager.

**Self-Testing**

The Partner is allowed to perform certification testing on their own, using their own lab and engineering resources with Canonical providing review, guidance and acceptance.

**SUT**

System Under Test, the system that is being proposed for Certification

**Suite**

The Server Certification Test Suite.

**Ubuntu Server Certified**

Indicates, via a published and/or approved Certificate, that a System has been tested and is shown to be fully supported by Ubuntu Server.

### **Variant**

A subclass of a Model, for example, a Model may have two variants that feature different network devices.

### **Vendor Approved Option**

Any device that can be ordered by the customer for a given Server Model. This includes Network devices, HBAs, RAID controllers, and so forth.

## **Services Provided**

The Server Hardware Certification team provides the following services to our customers

### **Certification Testing**

#### ***In-House***

We will, at the request of the client, perform certification testing in our lab in the Boston, MA, USA area on hardware sent from the partner to our Lab.

#### ***On-Site***

We will, at the request of the client, travel to the partner facilities and perform certification at the partner facility.

#### ***Remote***

We will, at the request of the client, perform testing remotely via VNC or other means. This service is not common and requires the OEM to perform a good bit of lab setup prior to our accessing the network and performing tests.

### **Certification Review**

We will review submissions from our partners from Self-Testing efforts. We will work with the partner to ensure all coverage areas are tested and all required tests are passed.

## ***Certificate Issuance and Publication***

We will, upon completion of review, issue a certificate for the SUT and publish that certificate on our HCL (<http://www.ubuntu.com/certification>) We will not publish certificates that are created as part of a private engagement. We will not publish certificates for certification testing of hardware that has not yet been made Generally Available to the public. In those cases, we will reserve the certificate until such time as the SUT has been made GA and the Partner has notified us that it's OK to publish the certificate.

In addition to publishing basic information about Server Models that are certified, we will publish the test and support status of any Vendor Approved Options that are applicable to that Server Model.

## **Test Tool Development**

We will develop and maintain the Suite for all testing situations. We will make available the Suite in a publicly facing repository along with any necessary dependency packages.

All test scripts and tools will be completely open source software. Proprietary tools are not acceptable for official Ubuntu Server Certification Testing.

## ***Test Tool Maintenance and Bug Fixing***

We will investigate and resolve reported bugs in the Suite. We will maintain the Suite code to ensure it runs reliably on the two most recent Ubuntu LTS versions.

## ***Website Maintenance and Bug Fixes***

We will work with the design/development team to resolve any bugs or issues discovered with the public or private web sites.

## **Participation**

To participate in the Ubuntu Server Certification Programme, the partner will need to meet one of the two following conditions:

- Has become a member of the Technical Partner Programme (<http://partners.ubuntu.com/programmes/hardware>).

- Has an existing or pending Ubuntu Advantage agreement for an existing or in-development deployment that needs Certification services to authenticate Technical Support access.

Ubuntu Server Certification is not sold ad-hoc and at this time is only open to Canonical's partners and customers.

## Communications

The Server Certification Team maintains an announcement-only mailing list called `hwcert-announce` for communications that involve hardware certification. This list is low-traffic, opt-in and is used to pass along information regarding the programme, its tools, policies and procedures.

Some items distributed to the list include (but are not limited to):

- New releases of the test suite and related packages
- Critical bug announcements
- Policy changes
- Reminders of upcoming LTS releases

To join the list please visit <https://lists.canonical.com/mailman/listinfo/hwcert-announce>

Questions about the Certification Programme may be sent directly to the Certification Team ([server-certification@canonical.com](mailto:server-certification@canonical.com))

## General Policies

### Comprehensive Server Certification

The Ubuntu Server Certification Programme has moved from the previous SKU/Config based testing model to a component focused testing model. This new model requires that Vendor Approved Options for each Model to be certified must also be tested.

### *Devices Specific Information*

#### *CPUs and RAM*

CPUs and RAM will be tested as before.

Any CPU from a given CPU Family (e.g. Broadwell, Skylake, Kabylake) will count for the entire CPU family. You do not need to re-test for each CPU unless the CPU is from a different family.

Any DIMM size may be tested, though we strongly encourage you to use the largest DIMM size available.

Jumps in DIMM size do not require additional testing.

### ***HDD, SSD, NVMe, NVDIMM***

For HDDs and SSDs, only one of each supported interface type needs to be tested. You should use the largest HDD or SSD of each type where possible.

ALL NVMe models must be tested.

ALL NVDIMM models must be tested in Storage Mode. Canonical reserves the right to also require NVDIMMs to be tested in RAM mode as well.

### ***RAID Controllers***

ALL RAID controllers must be tested. Exceptions can be made to this for very minor variances in RAID Controller Models.

An example of this exception would be two SAS RAID Controllers where they are essentially identical except for the addition or deletion of a Cache Battery.

Your Partner Engineer or the Certification Team will work with you to determine if a RAID Controller is exempt from testing.

### ***HBA***

All HBAs must be tested.

### ***CNA and Network Devices***

CNAs and NICs must be tested, CNAs should be tested in Network mode. Canonical reserves the right to require further CNA testing in other modes as necessary (for instance a CNA may need to be tested as an iSCSI initiator as well as a Network card).

### ***Anything Else***

Any device not explicitly outlined above must be tested.

## ***Application of Test Results***

Once a Vendor Approved Option has been tested in ANY Model of a Partner's Server Line, that Vendor Approved Option will be considered certified for the full Server Line.

Thus, if a Server Line has 10 Models, and the Vendor sells 1 (one) model of 100Gb Network Controller, once that controller has been validated in Model 1, it will also be automatically considered certified for Models 2 - 10.

## ***Display of Status of Vendor Approved Options***

Once a Model is certified it will be publicly listed on the Ubuntu Certification Website described later in this document. In addition to the Model, all Vendor Approved Options that apply to the Certified Model will be listed alongside that Model. Each Vendor Approved Option will show it's status (e.g. Certified, Untested, Unsupported, etc) and at least the Ubuntu Version or Kernel Version that the Option was tested against.

This will give customers a more complete view of what Models and Options are supported by Ubuntu Server.

This will also make creating BOMs for projects easier as there will no longer be any question if the components in a given BOM have been certified.

## **OS Versions**

Certifications are available for the two most recent LTS versions of Ubuntu Server. At this time, this includes 16.04 LTS and 18.04 LTS

Certification is never granted for Interim releases of Ubuntu Server (non-LTS versions such as 18.10, 19.04 or 19.10).

Certification Testing is performed on the following LTS releases:

- LTS GA - ex. 16.04 LTS GA as released in April 2016
- Current LTS Point Release - ex 16.04.4 as released in March 2016

## **Package Versions**

Installation should be performed using the Ubuntu images and kernels provided by the default MAAS image stream hosted at <https://maas.io>

Deployed OSs for Certification should *not* be updated with current package versions unless explicitly instructed to by the Server Certification Team.

Certification should always be performed using the most recent version of the Certification Suite. This is installed separately after the OS Version has been installed on the SUT. Installation is usually performed automatically as part of the deployment process.

## Certification Lifetime

Certifications are valid from the point release they are issued against until the end of the lifetime for that LTS. For example, a system certified on Ubuntu 16.04.2 LTS will be considered certified for 16.04.2, 16.04.3, 16.04.4 and 16.04.5 but will *not* be considered certified for 18.04 or subsequent LTS releases.

Those subsequent LTS releases will constitute a new LTS release family and will require separate certification of each Model and Vendor Approved Option.

## Models

For the purpose of Ubuntu Server Certification, we encourage the testing and certification of a Partner's entire server line, including user selectable Vendor Approved Options. This is part of the move to Comprehensive Server Certification.

For each Server Model, we will list all Vendor Approved Components that were tested. We will also list the supported/certified status of each of those components and that information will be plainly visible on the public certification website for each model the Vendor Approved Components are applicable. In order to ensure coverage of as many component options as possible, the Certification team will work with the Partner to decide on a test plan to cover a model and its full breadth of component options.

## Changes to the Test Suite

### *Suite Changes*

The Certification Suite is constantly evolving as new testing methods are employed, as technology changes, and as bugs are discovered and resolved within the Suite. Test changes in a given LTS will *not* change the test requirements, and will likely only change the method used to test.

Newly introduced tests, however, are considered a Suite change and will not gate current LTS certifications

For example, the network testing may move from iperf2 to iperf3, which will not affect testing or certification. Conversely, the addition of an Apachebench based Network test would constitute a suite change and would *not* gate current LTS certifications, but MAY become a blocker for future LTS releases.

Likewise, tests specifically for new technologies will not be blockers on the current LTS, but could become blockers on the next LTS.

### ***Test Requirements Changes***

The requirements for Certification are considered fluid up to the day the LTS is released. At that point, certification requirements are locked in and will not change for the life of that LTS. Any new test cases will be introduced as Non-Blocking items and will not gate certifications.

Note that this only applies to additions to the requirements. Requirements can be eased (tests removed) at any time and *will* be applicable to all certifications going forward. An example of this would be the removal of the requirement for floppy disk testing as such devices are not in use any longer.

### ***Progression of New Tests***

As the Suite *is* constantly evolving, there is a natural progression for tests that is applied throughout the development cycle.

Any new test is introduced as a Non-Blocking item. This implies that the test must be run, but will *not* gate the certification effort for the current LTS. As we approach the next LTS, Non-Blocking tests are re-evaluated for promotion to Blocking (Required) tests and likewise, Blocking tests are evaluated for demotion to Non-Blocking or removal altogether.

As a more concrete example, let's suppose a new Storage I/O stress test is introduced after 18.04 LTS is released but before 20.04 LTS. That new test would be introduced as a Non-Blocking test, thus any failures would *not* gate 18.04 certifications. This "Break-In" period is a chance to review and improve the test as well as gather data from various testing scenarios to determine its viability later on.

As we approach 20.04, we would re-evaluate this new Storage Stress test. If it is seen as important and reliable enough, then it will be promoted to Blocking for 20.04 and be required to pass for all 20.04 certifications.

Also keep in mind that even though this test would now be required for 20.04, it will still remain a Non-Blocking item for 18.04 certifications.

## ***Changes to Certification Policies***

The policies for Certification are subject to change at any time for any reason. That said, we make every effort to minimize policy changes and make modifications only where necessary for changing business needs.

## **Virtualization**

### ***Ubuntu as Host***

For all Servers that support virtualization, the KVM and LXD tests must be run with Ubuntu as the host OS. This will launch an Ubuntu guest and validate that virtualization functions. Certification does not install or apply to other operating systems as guests.

### ***Ubuntu as Guest***

In special situations, we will provide Certification of Ubuntu as a guest OS on a different host OS. These certifications are provided on a case-by-case basis and must be agreed upon by both Canonical and the Partner. Please discuss this with your Account Manager if you need to certify Ubuntu as a guest on your hypervisor.

### ***Virtual Machine Requirements***

Guests or VMs created for the purpose of certifying Ubuntu as Guest on a non-Ubuntu host OS should have a minimum of 4 GiB RAM and at least 100 GiB of disk space to ensure the tests run successfully.

Guests should also have at least one virtual NIC that can successfully ping the MAAS server / iperf Target.

Certifications of this type will use the “virtual-machine-full” testplan, which is a subset of the full server suite defined by the “server-full” testplan.

KVM testing is generally not required for certification of Ubuntu as Guest scenarios as nested virtualization (e.g. running KVM inside a VM) is considered an advanced/non-standard configuration.) This exception may not apply to certain special situations that are business goal dependent. That determination will be made by the Certification Team.

## System on Chip Certification

The Server Hardware Certification Team also provides System on Chip Certification Services for companies that produce SoCs meant to be used in server systems built by OEM/ODMs down the road.

### ***Application***

SoC Certification applies *only* to Systems on Chip and reference boards that showcase those SoCs. It does not apply to production server systems based on SoCs.

Additionally there is no inheritance upstream. So though an SoC may be certified by an SoC vendor like APM or Texas Instruments, OEM/ODMs who build servers based on that SoC cannot also claim certification for their server.

### ***Requirements***

SoC certification is best thought of as a subset of Server Certification. The tools and test cases are the same, but SoCs have less stringent requirements for certification. For example, SoCs can have non-functional blocks at the time of Certification.

The implication is that while an SoC may have non-functional blocks (such as USB3), those blocks will and should be enabled by the time an OEM/ODM is creating a server based on that SoC. Note that once a server product based on a certified SoC is presented for Server Certification, it must adhere to the more stringent Server Certification rules. In other words, once the SoC becomes a server, all hardware must work, with the only exception being non-accessible/non-included blocks. A compute card with no externally accessible USB ports, for example, will not need to pass the USB tests.

Additionally, SoC certification does not imply any level of support beyond basic functionality where Server Certification does imply a level of support including Ubuntu Advantage and other avenues.

### ***Exceptions***

As noted above, SoC is a subset of Server Certification with less stringent rules. Thus exceptions can be made for items that are non-functional at the time of SoC Certification. When these are encountered, the certification will have a note attached indicating what items are not considered certified and are non-functional or untested.

## Performance / Benchmark Testing

Canonical does not perform performance or benchmark testing as part of certification. Any benchmark or stress tools utilized are used strictly with the goal of introducing significant load to the system. It is the responsibility of the Partner to properly benchmark their own hardware with Ubuntu installed.

## Third Party Testing

Third Party Testing means testing hardware on behalf of another company. This happens when an OEM produces a system that is sold to a reseller who re-brands the hardware and sells at retail under the reseller's name and marketing model.

Third Party Testing for Certification is **ONLY** allowed on a case-by-case basis and must be agreed upon by Canonical, the OEM who will be doing the testing and the Reseller (who may also be an OEM) who will be selling the hardware at retail.

Any system tested in this manner **MUST** be readily identifiable as being the Reseller's system. See System Identification for more information

## Public Web Site

All published Certificates are accessible via our public certification website found at

<http://certification.ubuntu.com/server> <http://certification.ubuntu.com/soc>

Public certificates will include Make/Model, release and pertinent hardware information including certification/supported status of any Vendor Approved Options applicable to the certified Make/Model.

Public certificates will *not* include any Pass/Fail test information, private system data or other details that are not meant to be publicly accessible.

## Private Web Site

The private web portal can be found at

<https://certification.canonical.com>

this site is often referred to as C3.

Access to C3 is available only to Canonical employees and designated employees of partners participating in the Programme.

The private site will provide the Partner with a history of all certified and registered models and a history of all submitted test results and all certificates.

People with access must have an account on Launchpad (<https://launchpad.net>) and their account must be added to the appropriate access group by the Partner's PE or a member of the Certification team.

## Documentation

All documentation can be accessed by several methods:

- C3 has links to all document files
- The *certification-docs* package available from the Hardware Certification Public PPA contains copies of all documents in both PDF and HTML versions.
- The *certification-docs* package is also installed on every SUT as a suggested package for *canonical-certification-server*
- MAAS servers installed following our MANIAC guide provide the docs via html locally (<http://maas.server.ip/doc>)

## Certification Process

Most of the Certification process is defined in the Self-Testing Guide. (See the *Documentation* section above)

## Timeframe

Depending on the activity, the following should apply as far as time estimates:

- Self-Testing reviews should be completed within 2 business weeks from initial submission to completion or publishing.
- Onsite testing should be completed within 2 business weeks from initial testing to completion or publishing.
- Remote testing should be completed within 2 business weeks from initial testing to completion or publishing.
- Publishing of certificates is instantaneous as soon as the certificate is marked as passing.

- Replies to inquiries should happen within 2 business days (this only applies to replies, it does not imply that a resolution to any inquiry will occur within that time).
- Web updates should be completed within 3 - 4 business weeks depending on the necessary changes to the website and when those changes are requested as they must undergo a completely different development and acceptance procedure that has a minimum 3 week development cycle.
- Hardware enablement or bug fixing has no set timeframe due to the nature of those issues. Bugs will be resolved as quickly as we can; however, due to the variations in severity, complexity, and impact on other releases and systems, the actual time to fix and SRU a bug fix can vary from a few days to several weeks. Additionally, hardware enablement requires hardware access in our labs and may take several weeks to develop, push into MAAS and then find its way into a MAAS update.

## Test Lab

The test lab should be as clean as possible and should have as simple a network as possible. Network segments need to match the fastest supported speed of any NIC on the SUT. (e.g. a 10 Gb NIC must be connected to a 10 Gb LAN and the iperf target must also have a 10 Gb connection).

The lab will work best when there is unfettered Internet access for downloading test tools and dependency packages as well as MAAS images, cloud images, and so forth.

If Internet access is spotty or not permitted, local repository mirrors can be employed, but those require additional setup and maintenance.

If the Certification Team requires access, access should be provided via VPN or some similar means of ingress.

SUT BMCs should be connected and configured appropriately.

Certification requires MAAS to be used to deploy all test systems.

## Hardware

Hardware to be Certified should be GA level hardware, *not* development level hardware, SDV, BBVT, FVT or any other non-ready-for-production level. The hardware should be the same hardware that customers are able to purchase.

## Firmware

Firmware should be GA or similar level. In all cases, firmware should be GA level, with the only exception being the need to use unsigned versions in order to maintain the ability to flash revisions up or down as needed.

Firmware should be available somewhere online and not a secret build that is only available internally to the Partner or Canonical. The only exception here is for initial release firmware that comes on a newly released system.

## System Identification

Data in firmware must contain valid and correct identifiers for the make/model being tested. Typically this information is contained in DMI Types 1, 2 and 3.

If the system is sold by a Partner ODM, then the DMI data must include the correct Make and Model for the SUT.

If the system is sold by a Partner OEM and intended for resale by a different brand or under a different mark, then DMI must include SOME sort of verifiable identifier that shows the SUT is, in fact, the model being tested. This distinction is allowed as in many cases, OEM systems may not have the Make/Model fields filled out.

In cases where one OEM/ODM is performing testing on behalf of another OEM/ODM who resells hardware from the primary OEM/ODM, that hardware MUST be identifiable in firmware as belonging to the reseller OEM/ODM.

*Example: If Vendor A is testing hardware on behalf of Vendor B, the firmware must clearly show that the hardware is a model produced by Vendor B. Typically, this requires that DMI Type 1 (System) shows Vendor B as the Manufacturer and uses the Vendor B Marketing Model for the Product field. In these cases, DMI Types 2 and 3 can indicate Vendor A as the manufacturer.*

## Installation

Installation must be performed by Canonical's MAAS (Metal-As-A-Service). MAAS must use the default Ubuntu images and kernels provided via <https://maas.io> for all Certification deployments.

If a System cannot be deployed via MAAS and it is determined that this is a lack of support or bug in MAAS, then we will work with the partner and the MAAS development

team and Server Hardware Enablement to resolve issues that prevent successful deployments of the SUT.

## Custom Kernels and Drivers

Custom kernels are not allowed for Certification. Certified hardware must work with the standard Ubuntu kernel for the SUT's architecture. No unaccepted kernel patches will be allowed.

The standard Ubuntu Kernel includes the GA kernel or any released HWE kernel.

The exception to this involves kernel modules as outlined below.

Modules injected via DKMS generally are not allowed.

### *Third Party / Proprietary Drivers*

Hardware should be tested and certified using in-band drivers provided by the Ubuntu kernel. In cases where hardware is not supported by the current Ubuntu kernel, testing should then focus on the current HWE kernel.

Partners should work with their IHV upstreams to ensure necessary driver support is present in the Linux Kernel and will thus land naturally in the Ubuntu kernel.

Out-of-Band (Proprietary) drivers may be considered for use in Certification but that must be approved by the Canonical Hardware Certification Team.

For more information, please contact your account representative.

## Storage Options

Certification testing should be performed for each storage mode supported. Thus if a system supports JBOD and onboard RAID plus an optional PCIe add-in RAID card (that controls onboard disks), the storage tests should be run against all three configurations.

The Server Test Suite provides a storage-only testplan for this purpose.

## ***Storage Management Software***

Any storage management software meant to manage, modify, monitor storage devices including internal and/or external arrays, JBODs, or other storage subsystems should be provided to Ubuntu users in a manner equal to the way it is presented to users of other operating systems. The preferred method is via a Debian package provided via download from the Partner's website, or as a Snap package available via the Snap Store. The package should be presented equally with the same software packaged for other Operating Systems.

## **USB Testing**

USB Testing requires at least one USB stick for each type of port (USB2, USB3). Thus if a SUT has both USB2 and USB3 ports, you will need one USB2 and one USB3 thumb drive plugged into the appropriate port prior to testing.

## **Network Testing**

Network testing requires a second system to serve as a network target running `iperf3` in Server modes.

Network devices must be connected to clean networks of at least the maximum supported speed for the device. Thus, a 10 Gb NIC must be connected to a 10 Gb LAN and the `iperf3` target must also have a 10 Gb NIC connected to the same LAN. A 1 Gb NIC may be connected to either a 1 Gb or 10 Gb LAN.

All onboard network devices and ports **MUST** be tested.

## **Bugs**

It is not normal to encounter significant bugs during certification, or at least it should not be expected; however, bugs are found from time to time and must be addressed. In general, certification agreements do not imply any prioritizing of bugs found over any other bug. If bugs are discovered that block certification, the Partner and their Account Manager should work to have those bugs addressed appropriately.

## ***Test Suite Bugs***

Bugs found in the Suite *will* be treated with priority over feature additions or other work. We will work with the partner to resolve any bugs in the Suite in a timely manner, and will provide modified versions of the various files affected if necessary to speed a certification along. It is very important for the Partner and Tester to work directly with the Certification Team to resolve any bugs found in the Suite, including being available to re-run tests, commands, participate in debugging, replacing or patching the Suite, etc.

## ***Hardware Bugs***

Bugs found in hardware or firmware are solely the responsibility of the partner to fix. The timeframe for doing so is entirely at the Partner's discretion, and thus could cause a certification to be significantly delayed.

## ***OS Bugs***

Bugs found in the OS will be filed by either the PE or the Certification team. It is up to the PE and Partner to work together to get any bugs filed against the OS resolved in a timely manner. Note that OS bugs could result in certification being delayed until the OS SRU process is completed and any fix has been introduced to the OS via the Updates repository.

## ***Regression Bugs***

Bugs found in the OS during re-certification, or during regression testing, will be handled with higher priority than normal bugs. A bug found in a later package version will *not* jeopardize an existing certification. In other words, if package X is version 1.01 in 16.04 when a SUT is certified and package X is version 1.10 in 16.04.2 and causes a failure during regression testing, your original 16.04 certification will not be affected, and the regression introduced in version between version 1.01 and 1.10 of package X will be treated with higher priority as a regression in the OS.

## ***Enablement Bugs***

Bugs determined to require hardware enablement for a Model to pass Certification will need to be examined and discussed with the Partner Engineer and Canonical to determine the best course of action. This may require a paid Non-Recurring Engineering engagement with Canonical to perform the enablement work necessary.

Examples of Enablement NRE would include a new server management engine that requires use of a special API for hardware management or the inclusion of a new driver that is not supported by the current HWE kernel.

## Submission of Results

Results should be submitted using the process outlined in the Self-Testing Guide.

## Requesting Certificates

Certificates should only need to be requested *one* time per System per Release.

If re-tests are needed to satisfy testing requirements, do *not* create separate certificates.

Certificates are not necessary for subsequent point releases. If a system is certified already on 16.04.2, you do *not* need a new certificate for 16.04.3 and 16.04.4.

Certificates *are* necessary for each LTS family. If a system is certified for 16.04.3, it *does* need a new certificate for 18.04 LTS.

## Private Certificates

Private certifications are available but are only allowed on a case-by-case basis. Private certifications are generally used for pending tenders that the Partner wishes to participate in, or for certification on a pre-GA system with the expectation that such certification will be made public after the system GAs. If you need a private certification, please contact your Partner Engineer for more information.

## Zero-Day Certification

We will allow for “Zero-Day Certification” for a new LTS release. This allows our Partners to advertise certified status on the latest LTS release of Ubuntu Server on the day it is released. In order to participate in Zero-Day Certification, the following applies:

- SUTs must be tested within the testing window prior to LTS release, usually a 2- to 3-week period before release. Testing is conducted on the RC or last Beta of the LTS release.
- SUTs must subsequently be *re-tested* for official certification using the GA/Release version of the new LTS within 60 days of Release. Thus, if Server A is certified

Zero-Day, it must also be re-tested for official certification within 60 days following the LTS Release Day (GA +60).

- SUTs that are *not* re-tested within the Cert Window will lose their certified status until such time as they are tested on the GA version of the LTS in question.
- All other requirements must be met for Zero-Day Certification (e.g. MAAS for deployments, GA firmware, etc).

## Re-Testing

Occasionally, re-testing is necessary to satisfy testing requirements, resolve bugs or other needs. The Certification Team will assist with guidance on what to re-run and how/when to do so.

Results from re-runs should be submitted to the same hardware entry as the original certification results. A private “Note” should be added to any existing certificate request that provides a link to the new retest results.

Do *not* request further certificates each time retest results are submitted to C3.

## Regression Testing

The Certification Team performs regression testing on a pool of certified hardware at each Point Release and Interim Release. Partners should likewise include a regression testing component in their own testing programs.

The Certification Team runs regression testing on hardware contained in the Certification Lab and in the OIL programme.

The pool of hardware tested by the Certification Team for each release rotates so not every model is tested on every release.

Regressions do not affect existing certifications.

## Re-Certification

Re-Certification is necessary in certain circumstances. Primarily, when a new LTS is released, certification from the previous LTS does not carry forward, thus any system that should be certified for the new LTS will need to be re-certified.

Additionally, there are occasional changes that mandate re-certification. Anything that fundamentally alters a SUT's electronic profile requires re-certification. This includes, but is not limited to:

- CPU Family updates (e.g. Haswell -> Broadwell -> Skylake)
- Memory technology updates (e.g. DDR3 to DDR4)
- Changing an on-board device

The following are examples of things that do not require re-certification (again, this list is not limited to the following):

- CPU Speed bumps (e.g. Haswell 1.6GHz -> Haswell 2.4GHz)
- Memory amount changes (e.g. 4 GiB to 16 GiB) *unless* that includes an increase in the number of memory slots physically on the board.

Whenever a question of re-certification comes up, the Certification Team will investigate the situation and make a decision on a case-by-case basis.

## Physical Certificates

Typically, the entry on the Ubuntu HCL (<http://www.ubuntu.com/certification>) is considered the "Certificate"; however, on occasion where a PDF certificate is needed, such as for a tender or business case, we will create and provide an official PDF Certificate for your system.

To request a physical certificate, please contact your Partner Engineer.

## Sending Canonical Hardware

As a condition of Certification, a sample of each certified system must be made available to Canonical engineers whenever needed for bug fixes, support escalations and for other similar reasons.

This does not mandate that hardware is required to be sent to Canonical; *however*, partners are not prohibited from sending sample hardware to Canonical on a loan or permanent basis to be placed into our labs for ongoing testing or support or other related work.